



ABOVE-GROUND FOAM PADDING INSTALLATION GUIDE

Congratulations on your new Mr Trampoline foam padding!

Here's a quick guide to fitting the soft foam pads to your above-ground (free-standing) trampoline.

The pads come as a set of four — **2 long and 2 short** — that join to each other with Velcro tabs and strap to the frame with the webbing and buckles attached. Work at your own pace, and if you are ever stuck don't hesitate to call us for clarification: **1300 631 130**

Please note: four corner springs are supplied with the padding. They go on before the pads — see Step one.

info@mrtrampoline.com.au
www.mrtrampoline.com.au

MR TRAMPOLINE PTY LTD
966–968 Dandenong Road, Carnegie VIC 3163
1300 631 130


+ MR TRAMPOLINE

Premium Bounce. Ultimate Flight.

STEP ONE:

Fit the corner springs and lay the pads

- 1 Fit the four corner springs first.** They are supplied to support the underside of the corners of the foam pad surround. Hook each one to the wiggle bar on the frame, running diagonally across the corner as shown, **before** fitting the pads.
- 2 Lay the pads.** There are **4 foam pads** supplied — 2 long and 2 short. Lay them down along both sides and along both ends of the frame.



Corner support spring hooked to the wiggle bar, running diagonally across the corner. One in every corner, before the pads go on.



Laying a long pad along the side — the webbing straps hang down ready to buckle.



A short end pad lifted into place across the end of the frame.

STEP TWO:

Join the pads and strap them to the frame

- 3 **Join the pads to each other** with the Velcro tabs, adjusting the fit to suit the size of your mat and frame.
- 4 **Secure the pads to the frame** with the webbing and buckles attached to the underside of each pad. Pull each strap tight.

Tip: be sure to pass the webbing **through** the frame truss, not just around the frame rail — otherwise the webbing belt will loosen with vibration over time.



Threading the webbing through the D-ring buckle and pulling it tight.



The webbing and D-ring hang from the underside of each pad — pass the strap through the frame truss, then buckle.

ALL DONE

Enjoy safe use of your free-standing trampoline



Pads on, straps tight — ready to fly.

CONGRATULATIONS AND WELL DONE — YOU ARE DONE!

Enjoy safe use of your free-standing trampoline. Jump safe, have fun, and for any questions along the way call us on **1300 631 130**.