

MAT FITTING INSTRUCTIONS

For the **Olympic Elite** mat — 4270 × 2130 mm

Olympic Elite mat

4270 × 2130 mm

19 clips

and 19 springs on each end
(shorter edge)

38 clips



and 38 springs on each side
(longer edge)

Clips already fitted? If your mat has come with the hanger clips installed, skip straight to **Step two** on page 2.

Before you start: your mat will have single strands (2 on one side and 3 on the other) at approximately **24 cm** intervals along both long sides. Remove these before fitting the clips. **Never cut any of the strands on your mat.**

STEP ONE:

Fit the hanger clips to your Olympic Elite mat



The **hanger clip**: a stainless steel wire hook with two closed **eyes** and a **centre bend**. It lies flat on the mat with the closed bars towards the mat and the centre bend towards the frame. The mat loops go into the eyes through the gaps and hang on the closed bars — **seven in each eye** — and the spring hooks onto the centre bend and runs to the wiggle bar.


- 1 Fit one stainless steel clip in each **corner** of the mat, with **7 loops** on each side of the clip.
- 2 Connect a spring to each corner clip and hook it onto the wiggle bar **one wiggle in from the end**.
- 3 Find the centre of each end and each side by following the **painted marks** on the mat.
- 4 On the **ends**, place a stainless steel clip in the centre of the mat, with **7 loops** on each side of the clip. From the centre, continue to place clips along the end — 7 loops each side of every clip — until you have installed **19 clips** on the end. **Note:** if there are too many or too few loops for 7 on each side, distribute the difference evenly over the last 3–4 clips.
- 5 On the **sides**, place one stainless steel clip either side of the centre mark, with **7 loops** each side of each clip. From there, continue to place clips along the side. On every second clip use only **6 loops** each side — i.e. 7's, 6's, 7's, 6's, and so on. Continue until you have installed **38 clips** on the side. **Note:** if there are too many or too few loops for the 7's and 6's pattern, distribute the difference evenly over the last 3–4 clips. **It is important that every loop is placed onto a clip.**

MAT FITTING INSTRUCTIONS


Olympic Elite mat — continued

Note: all of our trampolines have an **odd** number of clips and springs on the **ends** (the shorter edges), so one clip sits in the centre of each end with equal numbers either side of it. The **sides** (the longer edges) take an **even** number, so there is an equal number of clips either side of the centre with no clip on the centre mark itself.

THE ENDS — 19 clips on each end



THE SIDES — 38 clips on each side



The mat edge seen from above, frame at the top: the wiggle bar on the inside face of the rail, a spring from every second wiggle to a hanger clip, and the loops from the clip's two eyes to the mat. The numbers are loops in each eye — work outwards from the painted centre mark to the corners.


MAT FITTING INSTRUCTIONS

Olympic Elite mat — continued

STEP TWO:

Put the mat on the frame

- 6 On one **end**, hook a spring to the middle clip and attach it to the **middle wiggle** of the frame. The middle wiggle is marked by **2 dots** on the inside of the frame — one below and one above the wiggle bar. Attach one more spring either side of the middle spring. Springs hook into **every 2nd wiggle** on the wiggle bar.
- 7 Repeat item 6 at the other end.
- 8 Continue to attach springs on the ends, working from the centre outwards. Place **3–4 at a time**, alternating from end to end so the mat and springs do not get over-stretched in one direction.
- 9 On one **side**, hook a spring to each of the two clips either side of the centre of the mat and attach them to the wiggles either side of the centre of the wiggle bar. Attach one more spring either side of the centre.
- 10 Repeat item 9 on the other side.
- 11 Continue to attach springs on the sides, working from the centre outwards. Place **3–4 at a time**, alternating from side to side so the mat and springs do not get over-stretched in one direction.



One end seen from above: frame rail at the top, mat at the bottom. Start at the **middle wiggle** — the two weld dots — then work outwards, a spring into every second wiggle. On the long sides there is no middle wiggle: the first two springs go either side of the centre mark.

WELL DONE — YOUR MAT IS ON!

Jump safe, have fun, and enjoy the memories for years to come. If anything on this sheet is unclear, or your mat or frame does not match it, call us on **1300 631 130** before you go further.